



The Portwest foot protection range has been engineered for maximum safety and outstanding performance. Packed with safety features and designed using strong, flexible and innovative construction techniques. This complete range protects against safety hazards found in tough working environments, across a wide range of industries



An exceptional collection of safety footwear made using high quality materials and components. Portwest Steelite footwear contains protective steel toecaps and/or steel midsoles, offering outstanding protection even in the toughest work environments.



A modern collection of metal free safety footwear, Portwest Compositelite offers lightweight protection for all day comfort. Constructed using non-metallic protective fibreglass toecaps and/or non-metallic protective midsoles, this collection is ideal for use in environments where metal free protection is essential.



Portwest Occupational is the perfect answer to safety footwear. The lightweight durable styles offer all day comfort, while offering excellent slip resistance, energy absorption and anti-static properties. This collection is ideal for light work and leisure.

PORTWEST STEELITE and PORTWEST COMPOSITELITE are trademarks of Portwest.

Symbols



200 Jouls Steel Toecap



200 Jouls Composite Toecap



Fibreglass Toecap



Pierce resistant composite midsole



Pierce resistant steel midsole



Full grain leather



Cow suede leather



Metatarsal protection



Energy absorbing seat region



Anti-static footwear



Mono density sole unit



Dual Density Sole Unit



Slip resistant outsole



Heat resistant outsole 300°C



Non-marking sole unit



Fuel and oil resistant outsole



ESD



Metal free



Chemical resistant



Waterproof construction



Waterproof membrane



Water resistant upper



Heat insulation

Cold insulation



Wide fitting



Women's fit



UK Conformity Assessed



European Conformity



INNOVATION, DESIGN, STYLING AND QUALITY COMPONENTS DEFINE THE PORTWEST FOOT PROTECTION COLLECTION.

SAFETY FOOTWEAR CAN BE RECOGNISED BY THE FOLLOWING STANDARDS:



EN ISO 20345:2011



AS/2210.3:2018

This international standard specifies basic and additional (optional) requirements for safety footwear used for general purposes. It includes, mechanical risks, slip resistance, thermal risks and ergonomic behaviour. The toecap protects the wearer's toes against risk of injury from falling objects and crushing when worn in work environments where potential hazards may occur. The midsole protects against the foot being pierced by underfoot objects.

The classification system used to identify the protection provided by the footwear is listed:

Additional requirements
The presence of a safety toecap providing protection against impact injury to the toes caused by falling objects. Level of protection provided is 200 joules. Prevention of compression injury to the toes if trapped under a heavy object. Level of this protection is 15kN.
As SB standard plus penetration resistance.
As SB standard plus closed seat region, antistatic properties, resistance to fuel oil and energy absorption of seat region.
As S1 standard plus penetration resistance.
As S1 standard plus water penetration and water absorption resistance.
As S2 standard plus cleated outsole and penetration resistance.
200 joule toecap protection. All rubber or all polymeric footwear with antistatic properties. Resistance to fuel oil, energy absorption of seat region and closed seat region.
As S4 standard plus cleated outsole and penetration resistance.

	Table of additional requirements for special applications with appropriate symbols for marking.								
Requirement		Symbols							
	Penetration resistance	Р							
	Electrical properties: Antistatic footwear	Α							
Whole Footwear	Resistance to inimical environments: Cold insulation of sole complex	CI							
	Energy absorption of seat region	E							
	Water resistant	WR							
	Metatarsal protection	M							
Upper	Water penetration and absorption	WRU							
	Resistance to hot contact	HRO							
Outsole	Resistance to fuel oil	FO							

FOOTWEAR SIZE CHART

It is recommended to have your foot measured when purchasing footwear as there is no exact standard for converting shoe sizes.

UK Size	1	2	3	4	5	6	6.5	7	8	9	10	10.5	11	12	13	14	15	16	17
Euro Size	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
US Mens Size					6	7	7.5	8	9	10	11	11.5	12	13	14	15	16	17	18
US Women's Size			5	6	7	8	8.5	9	10	11									

EN 61340-4-3:2018

This part of EN 61340 describes a test method for determining the electrical resistance of footwear used in the control of electrostatic potential on people. This standard is suitable for use by the manufacturer of footwear as well as the end user.

Electrostatic conductive footwear


Footwear as tested by the method described in this standard with an electrical resistance of < 1 Ω x 10 .

Electrostatic dissipative footwear

Footwear as tested by the method described in this standard with an electrical resistance of > 1 $~\Omega$ x 10 ~ and < 1 $~\Omega$ x 10 ~

Floor/Footwear System used for primary grounding - ESD Standard EN 61340

Occupational and safety shoes standard – EN ISO 20344 to EN ISO 20347. The level of charge generated is influenced by atmospheric humidity.



EN 13832-2:2006



Footwear Protecting Against Chemicals

Footwear protecting against chemicals - Part 2: Requirements for footwear resistant to chemicals under laboratory conditions

Resistance to degradation: Samples are placed in contact with the chemical for 23 hours.

		twear resists degradation by the stated chemicals (at least 2 from below).
В	-	acetone
D	-	dichloromethane
F	-	toluene
G	-	diethylamine
Н	-	tetrahydrofuran
Τ	-	ethyl acetate
J	-	n-heptane
K	-	30% sodium hydroxide
L	-	95% sulphuric acid
М	-	65% nitric acid
N	-	99% acetic acid
0	-	25% ammonia solution
Р	-	30% hydrogen peroxide solution
Q	-	isopropanol
R	_	13% sodium hypochlorite

EN ISO 20347:2012

The International Standard specifies basic and additional (optional) requirements for occupational footwear that is not exposed to any mechanical risks (impact or compression).

Category	Additional requirements			
ОВ	Conforms to the basic requirements set out by the standard EN ISO 20347: 2012			
01	Closed seat region, antistatic properties, energy absorption of seat region			
02	As 01 plus: Water penetration and absorption			
03	As 02 plus: Penetration resistance, cleated outsole			
04	Closed seat region, antistatic properties, energy absorption of seat region			
05	As 04 plus: Penetration resistance, cleated outsole			

EN ISO 13287:2019

This European Standard specifies a method of test for the slip resistance of conventionally soled safety, protective and occupational footwear. It is not applicable to special purpose footwear containing spikes, metal studs or similar.

The item of footwear to be tested is put on a surface, subjected to a given normal force and moved horizontally relative to the surface. The frictional force is measured and the dynamic coefficient of friction is calculated.

If the outsole passes both the ceramic tile test (SRA) and the steel floor test (SRB) it is marked as SRC.

Marking Code	T. 16. 6	Coefficient of Frid	ction (EN 13287)
Marking Code	Test Surface	Forward Heel Slip	Forward Flat Slip
SRA	Ceramic tile with SLS*	≥ 0.28	≥ 0.32
SRB	Steel floor with Glycerol	≥ 0.13	≥ 0.18
SRC	Ceramic tile with SLS* & Steel floor with Glycerol	≥ 0.28 ≥ 0.13	≥ 0.32 ≥ 0.18


^{*} Water with 5% Sodium Lauryl Sulphate (SLS) solution

ASTM F2413-18

The specification contains performance requirements for footwear to protect workers feet from the following hazards by providing:


- Impact resistance (I) for the toe area of footwear.
- C Compression resistance (C) for the toe area of the footwear.
- \boldsymbol{Mt} Metatarsal impact protection (Mt) that reduces the chance of injury to the metatarsal bones at the top of the foot.
- **Cd** Conductive properties (Cd) which reduce hazards that may result from static electricity buildup, and reduce the possibility of ignition of explosives and volatile chemicals.
- **EH** Electric hazard protection (EH), to protect the wearer when accidental contact is made by stepping on live electric wires.
- **SD** Static dissipative properties (SD) to reduce hazards due to excessively low footwear electrical resistance that may exist where SD footwear is required.
- PR Puncture resistance (PR) footwear devices.

SAFETY FOOTWEAR CLASSIFICATION GUIDE



الل







METATARSAL PROTECTION BOOT

Steelite



FD17

STEELITE MET PROTECTOR BOOT S3 M EN ISO 20345 S3

- XRD Poron technology for ultimate metatarsal protection
 - Angled top line for better fit and leg flexibility
 - Padded collar for added comfort
 - Integrated superior metatarsal protection for heavy duty

 - Water resistant upper to prevent water penetration SRC Slip resistant outsole to prevent slips and trips on ceramic and steel surfaces



Smooth Action Leather PU/PU Outsole: F60
Black 39-48







ADVANCED METATARSAL PROTECTION

EURO	UK	USA
39-48	6-13	7-14

INNOVATIVE WIRE LACE FASTENING

SYSTEMS

QUICK RELEASE PUSH/PULL LOCKING CLASP

CENTRAL CAVITIES AIDS TENSION

The innovative wire lace system is designed with double strength wire for excellent durability.

Features include a raised texture on dial for better fastening grip, rubberised dial chassis for better abrasion and a quick release push/pull locking clasp. Engineered central cavities aids wire tension across the vamp of the shoe and is specially positioned on the shoe to ensure a levelled, all-over, comfortable fit.


DIAL CHASSIS ENSURES A LEVELLED, COMFORTABLE FIT

WIRE LACE

TIGHTEN




LOOSEN



Steelite

FT18

STEELITE WIRE LACE **SAFETY TRAINER S1P HRO**



- Quick release wire lace system fastening, engineered to give an overall secure fit
- Specially considered upper materials to aid in high abrasion areas, performance and stability
- Leather stitched toe bumper
- Enhanced tread pattern for a better traction on uneven terrain
- Back pull-tab for ease of getting onto the foot
- Made with cow suede leather for a premium finish



Cow Suede Leather
PU/Rubber Outsole: F29 Grey/Green 39-47





EURO	UK	USA
39-47	6-12	7-13

Compositelite



FT08

PORTWEST COMPOSITELITE **WIRE LACE SAFETY TRAINER** KNIT S1P













- Quick release wire lace system fastening, engineered to give an overall secure fit
- Contemporary knitted upper, specially developed to increase comfort and lightweight properties
- Back pull-tab for ease of getting onto the foot
- Dual density outsole
- Composite toecap for added protection
- Pierce resistant composite midsole



Knitted Upper
PU/PU Outsole: F50 Black/Grey 36-48, Black/Red 36-48









ECO SAFETY TRAINER






Compositelite



FC08

PORTWEST COMPOSITELITE ECO SAFETY **TRAINER S1P**



















- Back pull-tab for ease of getting onto the foot







4 PET BOTTLES ARE RECYCLED TO MAKE THIS **TRAINER**

EURO	UK	USA
36-48	3-13	4-14

Compositelite



FC25

PORTWEST COMPOSITELITE ARGEN TRAINER S3 EN ISO 20345 S3

















Breathable knitted upper

- High frequency printing creating abstract patterns in hi-visibility colours
- Gel cushioned footbed
- Back pull-tab for ease of getting onto the foot
- Water resistant upper to prevent water penetration
- Pierce resistant composite midsole



Knitted Upper > PU/PU Outsole: F50 Grey 36-48, Teal 36-48



EURO

36-48



Compositelite



FT36

PORTWEST COMPOSITELITE LOW CUT SPEY TRAINER S1P EN ISO 20345 S1P













· Direct injected mesh with KPU Cage, providing strength and breathability

Lightweight and comfortable Lightweight dual density EVA and rubber outsole

Enhanced tread pattern for a better traction on uneven terrain

· 100% metal free

Leather stitched toe bumper



KPU/ Mesh > EVA/Rubber Outsole: F65 Orange/Black 37-48





EURO	UK	USA
37-48	4-13	5-14

Compositelite



FC15

the foot


PORTWEST COMPOSITELITE DERWENT BOOT S1P EN ISO 20345 S1P

providing strength and breathability

Superbly cushioned comfort foot bed reducing foot fatigue

Back pull-tab for ease of getting onto

Reinforced heel and toe













KPU/ Mesh > EVA/Rubber Outsole: F53 Black/Grey 36-48 Black/Red 36-48

Lightweight dual density EVA and rubber outsole Pierce resistant composite midsole





Compositelite



FT35

PORTWEST COMPOSITELITE OGWEN LOW CUT TRAINER S1P EN ISO 20345 S1P

EURO

36-48

EURO

36-48











- Superbly cushioned comfort foot bed reducing foot fatigue

- Reinforced heel and toe
- Back pull-tab for ease of getting onto the foot
- Lightweight dual density EVA and rubber outsole
- Composite toecap for added protection
- · Pierce resistant composite midsole







Compositelite



FT60

PORTWEST COMPOSITELITE **MERSEY TRAINER S1P** EN ISO 20345 S1P











Available in unisex sizing

- 3D breathable mesh lining
- Leather stitched toe bumper
- Suede and textile upper
- Dual density outsole
- Superbly cushioned comfort foot bed reducing foot fatigue



Suede leather + textile
PU/PU Outsole: F50 Black/Blue 36-48






EURO	UK	USA
36-48	3-13	4-14

Compositelite



FC67

PORTWEST COMPOSITELITE **VISTULA TRAINER S1P HR0**



reduce foot fatigue Mesh and split leather upper Phylon and Rubber outsole offering lightweight and durable

performance.

















Split Leather Phylon/Rubber Outsole: F43
Black 38-47, Lime Green 38-47







REGISTERED COMMUNITY DESIGNS




Compositelite



FC09

PORTWEST COMPOSITELITE PERFORATED SAFETY TRAINER S1P


















- Perforated upper aiding air circulation in hot environments
- Extra set of contrast laces included
- 100% non-metallic
- Padded collar for added comfort
- · Back pull-tab for ease of getting onto the foot
- · Composite toe cap

Smooth Action Leather PU/PU Outsole: F50 Black/Orange 36-48



ONE EXTRA SET OF CONTRAST LACES INCLUDED



Steelite



STEELITE AIRE TRAINER S1P EN ISO 20345 S1P





- Back pull-tab for ease of getting onto the foot
- Dual density outsole · Protective steel toecap
- · Pierce resistant steel midsole



Knitted Upper PU/PU Outsole: F50
Black/Green 36-48, Blue/Orange 36-48

EURO

36-48











FW33

STEELITE ARX SAFETY TRAINER S1P HR0









- Slip, fuel and oil resistant rubber outsole
- Protective steel toecap
- Heat resistant outsole 300°C



Split Leather EVA/Rubber Outsole: F15 Black 36-48 White 36-48











Steelite



FW39

colours


outsole

Premium suede upper Padded collar for added comfort Slip, fuel and oil resistant rubber

Specially designed fit for women

STEELITE WOMEN'S SAFETY **TRAINER S1P HR0** EN ISO 20345 S1P















Split Leather
EVA/Rubber Outsole: F15
Black 36-43, Black/Pink 36-43







EURO	UK	USA
36-43	3-9	5-11

Steelite



FW34


STEELITE LUSUM SAFETY TRAINER S1P HR0

EN ISO 20345 S1P AS 2210.3



























Suede and textile upper Padded collar for added comfort

Made with cow suede leather for a premium finish

Cemented construction

Cow Suede Leather > EVA/Rubber Outsole: F15 Black/Orange 36-48 Black/Red 36-48, Black/Yellow 36-48,












EURO	UK	USA
36-48	3-13	4-14





- Available in a selection of bright colours
- Extra set of contrast laces included
- Protective steel toecap
- Pierce resistant steel midsole
- SRC Slip resistant outsole to prevent slips and trips on ceramic and steel surfaces





EVA/Rubber Outsole: F53
Black/Orange 36-48
Black/White 36-48
Black/Blue 36-48 Black/Green 36-48







	EURO	UK	USA
1	36-68	3,13	4.14

Steelite



FW36

STEELITE LOIRE LOW CUT **TRAINER S1P HR0** EN ISO 20345 S1P

AS 2210.3





















Specially considered upper materials to aid in high abrasion areas, performance and stability


Leather stitched toe bumper

- Enhanced tread pattern for a better traction on uneven terrain
- Innovative outsole flex zones increase flexibility and stability for excellent support and comfort with every step
- Back pull-tab for ease of getting onto the foot
- Made with cow suede leather for a premium finish



Cow Suede Leather > EVA/Rubber Outsole: F29 Grey 39-47





EURO	UK	USA
39-47	6-12	7-13

Steelite



FT50

STEELITE MERSEY TRAINER S1 EN ISO 20345 S1 AS 2210.3
















- Available in unisex sizing • 3D breathable mesh lining Leather stitched toe bumper Suede and textile upper Dual density outsole



Suede leather + textile PU/PU Outsole: F50 Grey 36-48





EURO	UK	USA
36-48	3-13	4-14

Compositelite

FC61

PORTWEST COMPOSITELITE OPERIS SHOE S3 HRO EN ISO 20345 S3



- Additional top-eyelet to offer a closer
- Back pull-tab for ease of getting onto the foot
- Leather stitched toe bumper
- Pierce resistant composite midsole
- Heat resistant outsole 300°C Composite toecap for added protection



HRO 300°

METAL FREE

Nubuck

> PU/Rubber Outsole: F52 Black/Blue 37-48 Black/Orange 37-48







Compositelit<u>e</u>

FC60 **PORTWEST COMPOSITELITE OPERIS BOOT S3 HRO**

EN ISO 20345 S3



· Additional top-eyelet to offer a closer fit

- Back pull-tab for ease of getting onto the foot
- Leather stitched toe bumper
- Heat resistant outsole 300°C
- Pierce resistant composite midsole
- Composite toecap for added protection



Nubuck NUDUCK
PU/Rubber Outsole: F52
Black/Blue 37-48
Black/Orange 37-48

METAL FREE





EURO

37-48

USA 4-13 5-14

604

SAFETY BOOTS

Compositelite

FC17

PORTWEST COMPOSITELITE **MONTANA HIKER BOOT S3 HRO** EN ISO 20345 S3




















- · Back pull-tab for ease of getting onto the foot
- · Premium leather upper
- Bellow tongue construction for better resistance to water penetration
- Protective scuff cap
- Heat resistant outsole 300°C



Full-Grain Nubuck Leather
PU/Rubber Outsole: F25 □□□□■ Brown 39-48





EURO	UK	USA
39-48	6-13	7-14

Compositelite



FC58

PORTWEST COMPOSITELITE AVICH BOOT S3

EN ISO 20345 S3


















· Lightweight and comfortable

- Reflective panelling to aid visibility in poorly lit conditions
- Angled top line for better fit and leg flexibility
- Composite toecap for added protection
- Lightweight composite PU cushioned midsole
- SRC Slip resistant outsole to prevent slips and trips on ceramic and steel surfaces







EURO

4-12

Compositelite




FC65 PORTWEST COMPOSITELITE **TREKKER PLUS BOOT S1P**

EN ISO 20345 S1P

- External 360° chassis system for maximum ankle support
 - 100% metal free
 - · Back pull-tab for ease of getting onto the foot
 - · Suede and textile upper
 - Padded collar for added comfort
 - · Pierce resistant composite midsole













Compositelitë



FC52 PORTWEST COMPOSITELITE **RENO LOW CUT BOOT S1P**

EN ISO 20345 S1P



- Back pull-tab for ease of getting onto the foot Premium suede upper

 - Bellow tongue construction for better resistance to water penetration
 - Dual density outsole
 - Composite toecap for added protection
 - Pierce resistant composite midsole Cow Suede Leather

PU/PU Outsole: F39













EURO	UK	USA
38-47	5-12	6-13

Compositelitë



FC53 PORTWEST COMPOSITELITE **RENO MID CUT BOOT S1P**

EN ISO 20345 S1P



- Premium suede upper
- Bellow tongue construction for better resistance to water

EURO

UK

- Dual density outsole
- Made with cow suede leather for a premium finish
- Pierce resistant composite midsole



Cow Suede Leather PU/PU Outsole: F39 Beige 38-47










Compositelite



FC66 PORTWEST COMPOSITELITE **TROUPER SHOE S1**

EN ISO 20345 S1























EURO

36-48



Compositelite



FC64 PORTWEST COMPOSITELITE **TREKKER SHOE S1**

Back pull-tab for ease of getting onto the foot

EN ISO 20345 S1 **ASTM F2413-18**






















- 3D breathable mesh lining 100% metal free

Suede and textile upper · Padded collar for added comfort - Composite toecap for added protection Cow Suede Leather






Compositelitë




FC63 PORTWEST COMPOSITELITE **TREKKER BOOT S1**

EN ISO 20345 S1


















Composite toecap for added protection Cow Suede Leather PU/PU Outsole: F21



EURO UK 37-48 4-13

WOMEN'S SAFETY BOOTS AND SHOES

Steelite



FT42

STEELITE WOMEN'S HIKER **B00T**

Padded collar for added comfort Back pull-tab for ease of getting onto

EN ISO 20345 S3

· Women's specialised fit Full-grain nubuck leather
















the foot

Full-Grain Nubuck Leather
PU/PU Outsole: F26 Black 36-42









FT41

STEELITE LOUISA WOMEN'S **ANKLE BOOT S3**

EN ISO 20345 S3

· Padded tongue

water penetration

· Women's specialised fit Nubuck leather upper


















· Padded collar for added comfort


· Pierce resistant composite midsole Water resistant upper to prevent













FD10

CLYDE SAFETY BOOT S3 HRO CI HI FO


38-48


5-13

6-14

EN ISO 20345 S3 AS 2210.3







- Innovative outsole flex zones increase flexibility and stability for excellent support and comfort with
- Direct injected PU/rubber outsole for supreme grip and energy absorption.
- Heat resistant outsole 300°C

Cold insulation



Pull-Grain Leather PU/Rubber Outsole: F47
Black 38-48







Steelite



FD09

TRENT SAFETY BOOT S3 HRO CI HI FO EN ISO 20345 S3




























- Direct injected PU/rubber outsole for supreme grip and energy absorption.
- Protective TPU scuff cap for high impact
- Innovative outsole flex zones increase flexibility and stability for excellent support and comfort with every step
- Direct injected PU/rubber outsole for supreme grip and energy absorption.
- Heat resistant outsole 300°C





EURO	UK	USA
38-48	5-13	6-14

Steelite



FD11

FOYLE SAFETY BOOT S3 HRO CI HI FO

provides reliable protection against

Direct injected PU/Rubber outsole for supreme grip and energy

Back pull-tab for ease of getting onto

Innovative outsole flex zones increase flexibility and stability for excellent support and comfort with

Heat resistant outsole 300°C Protective steel toecap


EN ISO 20345 S3

absorbtion

every step

the foot

cold, damp and heat



















Pull-Grain Leather PU/Rubber Outsole: F47





EURO	UK	USA
38-48	5-13	6-14

Steelite

FW69 STEELITE MUSTANG BOOT S3

EN ISO 20345 S3 AS 2210.3 ASTM F2413-18

- 360 degree rubber external chassis system
- Premium oiled leather upper
- Back pull-tab for ease of getting onto the foot
- Angled top line for better fit and leg flexibility
- Dual density outsole
- Water resistant upper to prevent water penetration



Crazy Horse Leather PU/TPU Outsole: F12 Black 38-48





	EURO	UK	USA
Brown	36-48	3-13	4-14
Black	38-48	5-13	6-14



Steelite


FW59 STEELITE MUSTANG SHOE S3

EN ISO 20345 S3

- · Protective heel guard
- Premium oiled leather upper
- · Back pull-tab for ease of getting onto the foot
 - Dual density outsole
 - Water resistant upper to prevent water penetration
 - Pierce resistant steel midsole



















Steelite



FT71 SAFETY DEALER BOOT S1P

EN ISO 20345 S1P

- Elasticated gussets to ease foot entry
- Protective TPU scuff cap for high impact
- Back and front pull-tab for ease of getting onto the foot
- · Steel toe cap
- Pierce resistant steel midsole
 - Full grain leather






Full-Grain Nubuck Leather PU/PU Outsole: F47 Black 38-48, Wheat 38-48













Steelite

FW32


STEELITE CONSTRUCTO **NUBUCK BOOT S3 HRO** EN ISO 20345 S3

Padded collar for added comfort Heat resistant outsole 300°C Water resistant upper to prevent

Phylon and Rubber outsole offering lightweight and durable

performance.

water penetration



















Full-Grain Nubuck Leather Phylon/Rubber Outsole: F08 Black 39-47, Honey 39-47











FW65


STEELITE TASKFORCE BOOT **S3 HR0**

EN ISO 20345 S3

rubber outsole Breathable inner lining Padded collar for added comfort Angled top line for better fit and leg





















flexibility

the foot

· Pierce resistant steel midsole Split Leather/ 1200D Oxford EVA/Rubber Outsole: F43
Black 39-48





Steelite




FT64 STEELITE TROUPER SHOE S1P

EN ISO 20345 S1P

- Popular workwear classic
- · Suede and textile upper
- · Breathable inner lining
- Back pull-tab for ease of getting onto the foot
- Leather stitched toe bumper
- Pierce resistant steel midsole











EURO	UK	USA
36-48	3-13	4-14



Steelite




FT63 STEELITE TROUPER BOOT S1P

EN ISO 20345 S1P

- Popular workwear classic
- Suede and textile upper
- · Breathable inner lining
 - Back pull-tab for ease of getting onto the foot
- · Leather stitched toe bumper
 - Pierce resistant steel midsole















EURO	UK	USA
36-48	3-13	4-14



Steelite




FW02 STEELITE PERFORATED TRAINER S1P


EN ISO 20345 S1P

- · Perforated upper aiding air circulation in hot environments
- Premium suede upper
- Padded collar for added comfort
- · Protective steel toecap
- Pierce resistant steel midsole
- SRC Slip resistant outsole to prevent slips and trips on ceramic and steel surfaces

















Steelite




FW64 STEELITE TREKKER SH0E S1P

EN ISO 20345 S1P

- 3D breathable mesh lining Available in unisex sizing
 - Back pull-tab for ease of getting onto the foot
 - Suede and textile upper
 - Padded collar for added comfort
 - Made with cow suede leather for a premium finish









EURO	UK	USA
36-48	3-13	4-14

Steelite




FW63 STEELITE TREKKER BOOT S1P

EN ISO 20345 S1P **ASTM F2413-18**



- 3D breathable mesh lining
- Available in unisex sizing
- · Back pull-tab for ease of getting onto the foot
- Suede and textile upper
- Padded collar for added comfort
- Made with cow suede leather for a premium finish













EURO

36-48


Steelite



FT54 STEELITE TEGID SLIP ON **TRAINER S1P**

EN ISO 20345 S1P









- Neoprene lined for a more comfortable and closer fit Back and front pull-tab for ease of getting onto the foot
 - Protective steel toecap
- Pierce resistant steel midsole



PU Outsole: F63





	EURO	UK	USA
Ì	35-47	2-12	3-13

Steelitë



FW16

STEELITE WELTED SAFETY **BOOT SBP HRO**

EN ISO 20345 SBP

- Padded collar for added comfort
- Good year welted outsole construction
- Back pull-tab for ease of getting onto the foot
- Slip, fuel and oil resistant rubber outsole
- Heat resistant outsole 300°C
- SRA Slip resistant outsole to prevent slips and trips on ceramic surfaces







EURO	UK	USA
39-48	6-13	7-14

Steelitë



FW35

STEELITE WELTED PLUS SAFETY BOOT SBP HRO

- Heel kick for ease of removal - Good year welted outsole construction

Perforated upper aiding air

circulation in hot environments

EN ISO 20345 SBP

AS 2210.3

the foot





























EURO	UK	USA
39-48	6-13	7-14

Steelite



FW31

STEELITE MID CUT NUBUCK **BOOT SB HRO**



performance.

outsole

· Full-grain nubuck leather · Phylon and Rubber outsole offering lightweight and durable














· High wicking breathable mesh lining

· Padded collar for added comfort · Slip, fuel and oil resistant rubber





Steelite



FW17

STEELITE WELTED SAFETY BOOT SB HRO EN ISO 20345 SB











- · Full-grain nubuck leather
- Good year welted outsole construction
- Back pull-tab for ease of getting onto the foot
- · Slip, fuel and oil resistant rubber outsole
- Heat resistant outsole 300°C
- SRA Slip resistant outsole to prevent slips and trips on ceramic surfaces



Full Grain Crazy Horse/Full Grain Nubuck Leather Rubber Outsole: F07

Brown 39-48, Honey 39-48







EURO	UK	USA
39-48	6-13	7-14

WATERPROOF SAFETY BOOTS

Compositelite

FD01

PORTWEST COMPOSITELITE **TRACTION 10 INCH (25CM)** SAFETY BOOT S3 HRO CI WR
























- Specially engineered outsole to reduce foot fatigue
- Bellow tongue construction for better resistance to water penetration
- Engineered ankle support
- Angled top line for better fit and leg flexibility
- Quick release zip for instant access
- Heat resistant outsole 300°C



Full-Grain Leather PU/Rubber Outsole: F18





EURO	UK	USA
38-48	5-13	6-14



Compositelite

FD02

PORTWEST COMPOSITELITE **TRACTION 7 INCH (18CM)** SAFETY BOOT S3 HRO CI WR EN ISO 20345 S3 EN 61340-4-3

Bellow tongue construction for better resistance to water penetration

Specially engineered outsole to

Engineered ankle support Angled top line for better fit and leg

reduce foot fatigue

























flexibility














WATERPROOF SAFETY BOOTS




RETROGLO HI-VIS BOOT S3 WR ESD

EN ISO 20345 S3 EN 61340-4-3

- - Reflective panelling to aid visibility in poorly lit conditions Specially engineered high visibility material

 - Fibreglass toecap
 - Bellow tongue construction for better resistance to water penetration
 - Angled top line for better fit and leg flexibility
 - · Lightweight composite PU cushioned midsole























EURO

38-48

Compositelite



FC57

PORTWEST COMPOSITELITE ALL **WEATHER BOOT S3 WR**

EN ISO 20345 S3 AS 2210.3

- · Waterproof membrane
 - · Angled top line for better fit and leg flexibility
 - Protective scuff cap
 - Textile areas aid ventilation and airflow to the foot.
 - · Padded collar for added comfort
 - · Composite toecap for added protection




Cow Nubuck Leather > PU/TPU Outsole: F12











Compositelitë



FC56

PORTWEST COMPOSITELITE **CAMO STRIKE BOOT S3 WR** EN ISO 20345 S3



- Camouflage monotone canvas upper with water resistance properties



 Protective scuff cap Angled top line for better fit and leg flexibility



Padded collar for added comfort Composite toecap for added




protection Lightweight composite PU cushioned midsole



Crazy Horse Leather
PU/PU Outsole: F59 □□□□■ Black 39-48







WATERPROOF SAFETY BOOTS

Steelitë



10

FW57 STEELITE ALL WEATHER **BOOT S3 WR**


EN ISO 20345 S3 **ASTM F2413-18**


- Waterproof membrane
- Nubuck leather upper
- Angled top line for better fit and leg flexibility
- · Back pull-tab for ease of getting onto the foot
- · Padded collar for added comfort
- Protective steel toecap
















EURO	UK	USA
38-48	5-13	6-14

Steelite



FW66

STEELITE ALL WEATHER HIKER **BOOT S3 WR**

· Made with cow suede leather for a premium finish

EN ISO 20345 S3

















trips on ceramic and steel surfaces Cow Suede Leather

Pierce resistant steel midsole Anti-static footwear Energy Absorbing Seat Region Waterproof membrane







EURO USA UK 38-48 5-13 6-14

SAFETY BOOTS



Steelite

FT05

STEELITE MONSAL SAFETY BOOT S3 WR CI **HRO SRC**

EN ISO 20345 S3













- \cdot Technical locking ski-hook provides a secure fit
- · Specially considered upper materials to aid in high abrasion areas, performance and stability
- Enhanced tread pattern for a better traction on uneven terrain
- · Full grain leather upper aiding prevention of water
- · Heel kick for fast and easy removal
- · Waterproof membrane

Waxy Full-Grain Buffalo Leather EVA/Rubber Outsole: F80



ADVANCED PROTECTION IN TOUGH CONDITIONS

EURO	UK	USA
39-48	6-13	7-14





SAFETY SANDALS AND SHOES

Steelite



FW86

STEELITE ULTRA SAFETY SANDAL S1P

EN ISO 20345 S1P



- Perforated upper aiding air circulation in hot environments
- Adjustable hook and loop strap for better fit and comfort
- Padded collar for added comfort
 - · Protective steel toecap
 - Pierce resistant steel midsole
- · Anti-static footwear





Split Leather
PU/PU Outsole: F04
Black 38-48





	EURO	UK	USA
I	38-48	5-13	6-14

Steelite



FW42

STEELITE OBRA SANDAL S1

Adjustable webbing strap for better fit

Back pull-tab for ease of getting onto


EN ISO 20345 S1

and comfort

the foot

reducing foot fatigue



















Suede and textile upper









EURO	UK	USA
35-48	2-13	3-14

SAFETY SANDALS AND SHOES

Steelitë



FW01

STEELITE SAFETY SANDAL S1

EN ISO 20345 S1
















Perforated upper aiding air circulation in hot environments Adjustable hook and loop strap for



Split Leather PU/PU Outsole: F04

- Energy Absorbing Seat Region





EURO	UK	USA
35-48	2-13	3-14


Steelite



FW41

STEELITE WOMEN'S SAFETY SHOE S1

















circulation in hot environments Padded collar for added comfort · Protective steel toecap

and steel surfaces



PU/PU Outsole: F41







E	URO	UK	USA
3	6-42	3-8	5-10

COLD PROTECTION SAFETY BOOTS






FD33

Cold insulation


STEELITE KUMO FUR LINED BOOT S3

Water resistant upper to prevent water penetration

EN ISO 20345 S3 Padded collar for added comfort




















· Pierce resistant steel midsole



EURO	UK	USA
36-47	3-12	4-13

COLD PROTECTION SAFETY BOOTS

Compositelite

FC12 PORTWEST COMPOSITELITE **FUR LINED THOR BOOT S3 CI**

EN ISO 20345 S3

- \cdot Fur lined for added warmth and comfort
 - Back pull-tab for ease of getting onto the foot
 - Composite toecap for added protection
 - Lightweight composite PU cushioned midsole
 - · Cold insulation
 - Anti-static footwear





















FW05 STEELITE FUR LINED PROTECTOR BOOT S3 CI

EN ISO 20345 S3








- Back pull-tab for ease of getting onto the foot
- Protective scuff cap
- Cold insulation
- · Protective steel toecap














EURO UK USA 37-48 4-13 5-14



ESD PROTECTION

Compositelite



FD27

PORTWEST COMPOSITELITE PROTECTOR SAFETY SHOE

S3 ESD HRO EN ISO 20345 S3 EN 61340-4-3














- Enhanced tread pattern for a better traction on uneven terrain
- Angled top line for better fit and leg flexibility
- Padded collar for added comfort
- · Protective scuff cap



Action Nubuck Action Nubuck
PU/Rubber Outsole: F77
Black/Blue 39-47





EURO	UK	USA
39-47	6-12	7-13

Compositelite




FD37

PORTWEST COMPOSITELITE PROTECTOR SAFETY BOOT S3 ESD HRO



flexibility















Action Nubuck PU/Rubber Outsole: F77





EURO	UK	USA
39-47	6-12	7-13





ESD PROTECTION

Compositelitë



FC01 PORTWEST COMPOSITELITE **ESD LACED SAFETY SHOE S2**


EN ISO 20345 S2 EN 61340-4-3





- Water resistant upper to prevent water penetration
- Suitable for use in ESD environments
- 100% non-metallic













EURO	UK	USA
36-47	3-12	4-13



Compositelitë



FT62 PORTWEST COMPOSITELITE **ESD TEES TRAINER S1P**


EN ISO 20345 S1P EN 61340-4-3



- · 3D breathable mesh lining
- Lightweight dual density EVA and rubber outsole
- Padded collar for added comfort
- Composite toe cap
- Lightweight composite PU cushioned midsole














Compositelitë




FC04 PORTWEST COMPOSITELITE **ESD TAGUS SANDAL S1P**

EN ISO 20345 S1P



- · Adjustable webbing strap for better fit and comfort
- Back pull-tab for ease of getting onto the foot
- Perforated upper aiding air circulation in hot environments
- Padded collar for added comfort
 - Back pull-tab for ease of getting onto the foot
 - · Pierce resistant composite midsole









75	EURO	UK
	36-48	3-13

EURO

40-47





ESD PROTECTION

Compositelitë




FC02 PORTWEST COMPOSITELITE **ESD LEATHER SAFETY SHOE S1**

EN ISO 20345 S1 EN 61340-4-3

- 100% non-metallic

and steel surfaces Anti-static footwear






















Energy Absorbing Seat Region



|--|

Steelite



FW48 STEELITE ESD EBRO SAFETY **SANDAL S1 CLASS 3**

Perforated upper aiding air circulation in hot environments

Adjustable hook and loop strap for better fit and comfort

EURO

37-47


UK


4-12

EN ISO 20345 S1 EN 61340-4-3



















Available in unisex sizing



Adjustable elastic heel strap

PERFORATED FOR **VENTILATION**



EURO	UK	USA
34-49	1-14	2-15

EURO

35-48

Compositelitë



FC03 PORTWEST COMPOSITELITE ESD PERFORATED SAFETY CLOG SB AE


Self-cleaning outsole preventing cross contamination

EN ISO 20345 SB EN 61340-4-3

Wipe clean upper

Microfibre PU/PU Outsole: F46



















- Composite toecap for added protection



MACHINE WASHABLE FOOTWEAR

The Steelite Microfibre Food and Medical Industry products are manufactured from high quality microfibre, which is water resistant and machine washable.







FD61

PORTWEST COMPOSITELI **LACED SAFETY SHOE**

EN ISO 20345 S2

















- Padded collar for added comfort

- Vegan Friendly Footwear
- Anti-bacterial treated, perforated insole to help keep your feet fresh and clean
- Composite toecap for added protection
- Water resistant upper to prevent water penetration
- Anti-static footwear



Microfibre PU/PU Outsole: F50 Black 36-48, White 36-48



ITE		NEW
EIIDO IIIK	LIISA	

EURO	UK	USA
36-48	3-13	4-14

Compositelite 30°






FD62


PORTWEST COMPOSITELITE SLIP ON SAFETY TRAINER


EN ISO 20345 S2














Water resistant upper to prevent water penetration



Microfibre PU/PU Outsole: F50 Black 36-48, White 36-48













STEELITE LACED SAFETY SHOE S2 EN ISO 20345 S2



















Microfibre 🏲

cross contamination

PU Outsole: F40
Black 34-49, White 34-49












FW88 **STEELITE ALBUS LACED BOOT S2**

EN ISO 20345 S2


















Specially designed for Clean Room, Medical and Food Industries

· Protective steel toecap

cross contamination · Padded collar for added comfort



Microfibre PU/PU Outsole: F40
White 35-49





It's All About Sole - F40

Slip resistant and self-cleaning outsole which prevents cross contamination due to product being lodged in the sole tread of the footwear, specially designed for Clean Room, Medical and Food Industries..



STEELITE SLIP ON SAFETY **SHOE S2**

EN ISO 20345 S2 AS 2210.3

- Self-cleaning outsole which prevents cross contamination
 - Padded collar for added comfort
 - · Wipe clean upper
 - Slip-on silhouette
 - Available in unisex sizing
 - Machine washable to 30°C





PU Outsole: F40 Black 34-49, White 34-49











FW83 STEELITE SLIP ON SAFETY

BOOT S2 EN ISO 20345 S2



- Self-cleaning outsole which prevents cross contamination
- Padded collar for added comfort
- · Wipe clean upper
- Slip-on silhouette
- Available in unisex sizing
- Machine washable to 30°C





Microfibre PU Outsole: F40 White 34-49 Black 34-49













FW82 STEELITE SAFETY CLOG SB **AE WRU**

· Self-cleaning outsole preventing cross contamination · Padded collar for added comfort

EN ISO 20345 SB AS 2210.3





















· Wipe clean upper · Detachable strap

Microfibre
PU Outsole: F40
Black 34-49, White 34-49










FW58


















· Slip-on silhouette

· Available in unisex sizing

Water resistant upper to prevent water penetration







EURO	UK	USA
34-48	1-13	2-14

METATARSAL PROTECTION



INTEGRATED FLEXIBLE META-GUARD FOR OPTIMUM FLEXIBILITY AND METATARSAL **PROTECTION**

- MINING
- OIL & GAS
- UTILITIES
- CONSTRUCTION
- **CIVIL ENGINEERING**
- AGGREGATES
- **AGRICULTURE**





FD85

PORTWEST METTAMAX SAFETY WELLINGTON S5 M

EN ISO 20345 S5



· Integrated flexible meta-guard for optimum flexibility and metatarsal protection



Reinforced ankle protection

- · Kick spur
- Enhanced tread pattern for a better traction on uneven terrain
- Fibreglass toecap
- Pierce resistant composite midsole



PVC/Nitrile
PVC/Nitrile Outsole: F49
Black 37-48







METATARSAL PROTECTION



IMPACT PROTECTION

XRD® Protection Technology is a multi-purpose foam, uniquely designed for wearable impact

Thin, flexible, soft to the touch and comfortable when worn, XRD® Protection Technology firms upon impact to form a protective shell around the wearer. The molecular structure of this innovative technology is engineered to provide consistent performance and impact absorption even after repeated impacts and long-term use.

Steelite


FD17

STEELITE MET PROTECTOR BOOT S3 M EN ISO 20345 S3

- XRD Poron technology for ultimate metatarsal protection
- Angled top line for better fit and leg flexibility
- Padded collar for added comfort
- Integrated superior metatarsal protection for heavy duty
- Water resistant upper to prevent water penetration
- SRC Slip resistant outsole to prevent slips and trips on ceramic and steel surfaces













EURO	UK	USA
39-48	6-13	7-14

METATARSAL PROTECTION

Steelite



FW22

STEELITE METATARSAL **BOOT S3 HRO M ASTM F2413-18** EN ISO 20345 S3

· Protective leather flap to guard

against sparks Flame resistant stitching

outsole
















Padded collar for added comfort Slip, fuel and oil resistant rubber





EURO	UK	USA
38-48	5-13	6-14

WELDING PROTECTION

Compositelite




PORTWEST COMPOSITELITE **WELDERS BOOT S3 HRO** EN ISO 20345 S3












Ergonomic quick release buckle Flame resistant stitching



Bellow tongue construction for better resistance to water penetration







PU/Rubber Outsole: F01





EURO	UK	USA
38-48	5-13	6-14

RIGGER BOOTS

Compositelite

FC16

PORTWEST COMPOSITELITE **INDIANA RIGGER BOOT S3**






















- · Premium leather upper Unlined
- Dual density outsole
- Side pull-tabs
- Fibreglass toecap
- Lightweight composite PU cushioned midsole







EURO

38-48





Steelite



FW29

comfort Protective scuff cap

STEELITE RIGGER BOOT SCUFF CAP S3 CI

EN ISO 20345 S3 · Fur lined for added warmth and



























Buffalo Leather PU/PU Outsole: F03 Black 38-48, Tan 38-48





EURO UK USA 38-48 5-13 6-14

RIGGER BOOTS

Steelite

STEELITE RIGGER BOOT PRO S3 CI HRO




comfort

impact

Kick spur Side pull-tabs


















Protective TPU scuff cap for high

Reinforced ankle protection

Split Leather
PU/Rubber Outsole: F19 Tan 38-48










FT13

STEELITE RIGGER BOOT PRO S3 CI

EN ISO 20345 S3







Protective TPU scuff cap for high impact



Reinforced ankle protection

- Kick spur
- · Side pull-tabs
- Cold insulation





Split Leather PU/PU Outsole: F03 Tan 38-48



EURO

38-48



RIGGER BOOTS

Steelite



FW12 STEELITE RIGGER BOOT S1P CI HRO

EN ISO 20345 S1P

- · Fur lined for added warmth and comfort
 - · Dual density outsole
 - · Side pull-tabs
 - · Heat resistant outsole 300°C
 - Cold insulation
 - · Pierce resistant steel midsole



Split Leather PU/Rubber Outsole: F19
Black 38-48, Tan 38-48











Steelitë



FW13 STEELITE RIGGER BOOT

EURO

38-48

EN ISO 20345 S1P




















- · Fur lined for added warmth and comfort
- · Protective scuff cap
- · Side pull-tabs
- Cold insulation
- · Pierce resistant steel midsole
- CE certified



Split Leather PU/PU Outsole: F03 Tan 37-48, Black 38-48



	EURO	UK	USA
Tan	37-48	4-13	5-14
Black	38-48	5-13	6-14



Steelite



FW06 STEELITE RIGGER BOOT S1P HRO (UNLINED)

EN ISO 20345 S1P



















Side pull-tabs

Heat resistant outsole 300°C

· Protective steel toecap

Pierce resistant steel midsole








EURO	UK	USA
38-48	5-13	6-14



PU WELLINGTONS

Wellingtons Range - Material Characteristics



































- Additional orthopedic, washable, antibacterial, removable footbeds with arch support and shock absorbing heel cushioning
- Cold insulation



PU Outsole: F35 Yellow 39-48, Green 39-48

EURO USA 39-48 6-13 7-14








FD90







- Fully waterproof
 - Washable lining
 - Enhanced tread pattern for a better traction on uneven terrain
 - Additional orthopedic, washable, antibacterial, removable footbeds with arch support and shock absorbing heel cushioning
 - 100% metal free



EURO	UK	USA
39-48	6-13	7-14

SAFETY WELLINGTONS















EN ISO 20345 S4

- Excellent cold insulation properties down to -17 degrees

- Excellent cold insulation properties down to -17 degrees
 Fully waterproof
 Washable lining
 Enhanced tread pattern for a better traction on uneven terrain
 Additional orthopedic, washable, antibacterial, removable footbeds with arch support and shock absorbing heel cushioning
- Protective steel toecap





EURO	UK	USA
39-48	6-13	7-14

PVC WELLINGTONS






Steelitë















Reinforced ankle protection

Fully waterproof

- Dual density PVC/Nitrile construction

· Chemical resistant

Protective steel toecap



PVC/Nitrile PVC/Nitrile Outsole: F06 Black 36-49, White 36-48 Green 36-48

Steelitë










· Kick spur















Dual density PVC/Nitrile construction

Washable nylon inner lining

Reinforced ankle protection



PVC/Nitrile
PVC/Nitrile Outsole: F06
Black 36-48

	EURO	UK	USA
Black	36-49	3-14	4-15
Green,White	36-48	3-13	4-14

	EURO	UK	USA
ı	36-48	3-13	4-14

PVC WELLINGTONS





Steelite













EN ISO 20345 S4 EN 13832-3:2018 AS 2210.3

- - Kick spur
 - · Reinforced ankle protection
 - Fully waterproof
 - · Protective steel toecap
 - Chemical resistant
 - UKCA marked



PVC/Nitrile
PVC/Nitrile Outsole: F06
White 36-48

MAXIMUM PROTECTION IN HARSH CONDITIONS

EURO	UK	USA
36-48	3-13	4-14









FW90 **PVC WELLINGTON 04**



- · Fully waterproof
- · Kick spur
 - Anti-static footwear
 - · Energy Absorbing Seat Region 100% Waterproof to keep feet dry
 - SRC Slip resistant outsole to prevent slips and trips on ceramic and steel surfaces



PVC Outsole: F36
Green 39-48
Black 37-48,

	EURO	UK	USA
Black	37-48	4-13	5-14
Green	39-48	6-13	7-14

PVC WELLINGTONS














FW75











- Kick spur Reinforced ankle protection
- Chemical resistant
- 100% Waterproof to keep feet dry
- Cold insulation



PVC/Nitrile PVC/Nitrile Outsole: F06 Black 36-49, Tan 36-49



Steelite


























SRA - Slip resistant outsole to prevent slips and trips on ceramic



PVC Outsole: F44

Black 38-47

EURO	UK	USA
38-47	5-12	6-13

SAFETY WADERS



PRACTICAL AND FUNCTIONAL

ADJUSTABLE WAIST CORD



Steelite
















- Pierce resistant steel midsole
- Anti-static footwear
- · Energy Absorbing Seat Region
- 100% Waterproof to keep feet dry
- SRC Slip resistant outsole to prevent slips and trips on ceramic and steel surfaces



PVC/Nitrile PVC/Nitrile Outsole: F06
Black 37-47

> EURO UK USA 37-47 4-12 5-13

Steelitë







FW74







- Stainless steel eyelets
 - Kick spur
 - Colour coded red outsole for easy identifications of safety features
 - 100% Waterproof to keep feet dry
 - · Pierce resistant steel midsole



PVC/Nitrile
PVC/Nitrile Outsole: F06 PVC/Nitrite Black 37-48

EURO	UK	USA
37-48	4-13	5-14

Compositelite

FC44

PORTWEST COMPOSITELITE THOR SHOE S3 EN ISO 20345 S3

Pierce resistant composite midsole

· Water resistant upper to prevent

· Premium leather upper · Padded collar for added comfort · Composite toecap for added

· Anti-static footwear

water penetration

protection























EURO	UK	USA
38-49	5-14	6-14

Compositelit<u>ë</u>




FC11

PORTWEST COMPOSITELITE THOR BOOT S3

EN ISO 20345 S3
















- Back pull-tab for ease of getting onto the foot Composite toecap for added
- protection Pierce resistant composite midsole
- Anti-static footwear
- Water resistant upper to prevent water penetration



Full-Grain Leather PU/TPU Outsole: F21 Black 38-48








Compositelite




FC14 PORTWEST COMPOSITELITE **SAFETY SHOE S1P**

EN ISO 20345 S1P

















Split Leather PU/PU Outsole: F21

Padded collar for added comfort

Pierce resistant composite midsole



EURO	36-48
	EURO

Compositelite



FC10 PORTWEST COMPOSITELITE **SAFETY BOOT S1P**

EN ISO 20345 S1P




















- SRC - Slip resistant outsole to prevent slips and trips on ceramic and steel surfaces







UK

3-13




Compositelite



FC21 PORTWEST COMPOSITELITE **SAFETY BOOT S1**

EN ISO 20345 S1

Anti-static footwear


























Split Leather PU/PU Outsole: F21

Padded collar for added comfort



EURO	UK	USA
36-49	3-14	4-15




Steelite

FW43 STEELITE KUMO SHOE S3

EN ISO 20345 S3

- Padded collar for added comfort
- · Protective steel toecap
- · Pierce resistant steel midsole
- Anti-static footwear
- SRC Slip resistant outsole to prevent slips and trips on ceramic and steel surfaces
- · Water resistant upper to prevent water penetration









EURO	UK	USA
37-49	4-14	5-15



Steelite



FW23 STEELITE KUMO BOOT S3

EN ISO 20345 S3

- Padded collar for added comfort
- Slip, fuel and oil resistant rubber outsole
- Protective steel toecap
 - Pierce resistant steel midsole
 - · Anti-static footwear
 - · Water resistant upper to prevent water penetration











EURO	UK	USA
36-50	3-15	4-16



Steelite



FW44 STEELITE THOR SHOE S3

EN ISO 20345 S3

- · Premium leather upper
- Padded collar for added comfort
- Protective steel toecap · Pierce resistant steel midsole
 - Anti-static footwear
 - · Water resistant upper to prevent water penetration



Full-Grain Leather > PU/TPU Outsole: F02











Steelite

STEELITE PROTECTOR PLUS

EN ISO 20345 S3



















- Padded collar for added comfort
- Heat resistant outsole 300°C
- Water resistant upper to prevent water penetration
- Protective steel toecap
- Pierce resistant steel midsole SRC Slip resistant outsole to
- prevent slips and trips on ceramic and steel surfaces



Water Resistant Leather Nitrile Outsole: F88
Black 38-48





EURO	UK	USA
38-48	5-13	6-14





FW11






















STEELITE THOR BOOT S3 EN ISO 20345 S3

- · Premium leather upper
- Back pull-tab for ease of getting onto the foot Padded collar for added comfort
- Angled top line for better fit and leg flexibility
- Water resistant upper to prevent water penetration





Full-Grain Leather
PU/TPU Outsole: F02 ■ Black 37-48





EURO	UK	USA
37-48	4-13	5-14

Steelite

FW03 STEELITE BOOT S3

EN ISO 20345 S3

- Back and front pull-tab for ease of getting onto the foot
- Padded collar for added comfort
- · Protective steel toecap
- · Pierce resistant steel midsole
- Water resistant upper to prevent water penetration
- Anti-static footwear











Split Leather
PU/PU Outsole: F13

EURO	UK	USA
37-48	4-13	5-14



Steelite



FW24 STEELITE KUMO BOOT SCUFF CAP S3

EN ISO 20345 S3

- Protective scuff cap
- Padded collar for added comfort
- - Protective steel toecap
 - Pierce resistant steel midsole
 - · Water resistant upper to prevent water penetration
 - Anti-static footwear




















Steelite



FW85 STEELITE ULTRA SAFETY SHOE S1P

EN ISO 20345 S1P

- Padded collar for added comfort
- Bellow tongue construction for better resistance to water penetration
- - Protective steel toecap
 - Pierce resistant steel midsole
 - Anti-static footwear
 - SRC Slip resistant outsole to prevent slips and trips on ceramic and steel surfaces





Split Leather PU/PU Outsole: F04



EURO	UK	USA
38-48	5-13	6-14



Steelite



FW51 PORTWEST DEALER BOOT S1P

EN ISO 20345 S1P AS 2210.3

- Elasticated gussets to ease foot entry
 - Back pull-tab for ease of getting onto the foot
 - Premium leather upper
- Protective steel toecap
 - Pierce resistant steel midsole
 - · Anti-static footwear



Waxy Full-Grain Buffalo LeatherPU/PU Outsole: F02

Black 38-48

Brown 38-48



EURO	UK	USA
38-48	5-13	6-14



Steelitë



FW09 STEELITE PROTECTOR **BOOT SCUFF CAP S1P**

EN ISO 20345 S1P

- Protective scuff cap
 - Padded collar for added comfort
 - Protective steel toecap
 - Pierce resistant steel midsole
 - Anti-static footwear



Split Leather
PU/PU Outsole: F12 Black 36-48





Steelite



FW25 STEELITE SAFETY TRAINER S1P

EURO

36-48

EN ISO 20345 S1P

- Padded collar for added comfort
- Protective steel toecap
- · Pierce resistant steel midsole
- · Anti-static footwear
- $\ensuremath{\mathsf{SRC}}$ $\ensuremath{\mathsf{Slip}}$ resistant outsole to prevent slips and trips on ceramic and steel surfaces
- Energy Absorbing Seat Region



Split Leather PU/PU Outsole: F12









Steelite



FW10

STEELITE PROTECTOR BOOT S₁P

EN ISO 20345 S1P AS 2210.3 ASTM F2413-18

· Improved sole unit Protective steel toecap Pierce resistant steel midsole Anti-static footwear






















EURO	UK	USA
35-52	2-17	3-18

Steelite



FW14 STEELITE PROTECTOR

SHOE S1P EN ISO 20345 S1P **ASTM F2413-18**



















prevent slips and trips on ceramic

· Protective steel toecap Pierce resistant steel midsole SRC - Slip resistant outsole to

and steel surfaces









EURO	UK	USA
35-52	2-17	3-18

Steelitë

FW15 STEELITE SAFETY TRAINER S1

SRC - Slip resistant outsole to prevent slips and trips on ceramic

EN ISO 20345 S1

Padded collar for added comfort

Energy Absorbing Seat Region

Protective steel toecap - Anti-static footwear

and steel surfaces Fuel and oil resistant outsole















EURO	UK	USA
37-48	4-13	5-14



Steelite



FW21 STEELITE SAFETY BOOT S1

EN ISO 20345 S1

- Padded collar for added comfort
- · Improved sole unit
- · Protective steel toecap
- Anti-static footwear
- SRC Slip resistant outsole to prevent slips and trips on ceramic and steel surfaces
- **Energy Absorbing Seat Region**













EURO	UK	USA
35-49	2-14	3-15




Steelitë



FW26 STEELITE AIR CUSHION **SAFETY SHOE SB**


EN ISO 20345 SB






















SRA - Slip resistant outsole to prevent slips and trips on ceramic

Buffalo Leather PVC/ Rubber Outsole: F09
Black 39-47



EURO	UK	USA
39-47	6-12	7-13

EXECUTIVE SAFETY SHOES

Steelite



FW47

· Oxford style

STEELITE EXECUTIVE **OXFORD SHOE S1P** EN ISO 20345 S1P




























EURO	UK	USA
39-47	6-12	7-13


Steelite




FW46

STEELITE EXECUTIVE **BROGUE S1P**





management · Protective steel toecap





















EURO	UK	USA
39-47	6-12	7-13

	THE PROFESSIONALS CHOICE
anamanani.	Production and restrict to the second second section of the second

OCCUPATIONAL FOOTWEAR



FW20





- Padded collar for added comfort
- · Improved sole unit Anti-static footwear
- Energy Absorbing Seat Region
- SRC Slip resistant outsole to prevent slips and trips on ceramic and steel surfaces
- Fuel and oil resistant outsole



Split Leather
PU/PU Outsole: F64





EURO	UK	USA
37-48	4-13	5-14




FW19 WORK SHOE 01 EN ISO 20347 01









• Padded collar for added comfort



- SRC - Slip resistant outsole to prevent slips and trips on ceramic and steel surfaces

Fuel and oil resistant outsole



Split Leather
PU/PU Outsole: F64
Black 36-48





EURO	UK	USA
36-48	3-13	4-14

WORK FOOTWEAR


FW40

LIMES HIKER BOOT

- · Premium suede upper
 - Heel kick for ease of removal
 - Leather stitched toe bumper
 - Back and front pull-tab for ease of getting onto the foot
 - Padded collar for added comfort
 - Slip, fuel and oil resistant rubber outsole



Cow Suede EVA/Rubber Outsole: F28 Navy 39-47





EURO	UK	USA
39-47	6-12	7-13

FW67

NEBRASKA LOW CUT TRAINER



- · Specially considered upper materials to aid in high abrasion areas, performance and stability
- · Leather stitched toe bumper · Phylon and Rubber outsole
- offering lightweight and durable performance.
- · Back pull-tab for ease of getting onto the foot
- · Lightweight and comfortable







		9	The state of the s
EURO	UK	USA	
39-47	6-12	7-13	





SOCKS

Unisex Sock Range

The unisex range of workwear socks come in a variety of styles and colour. Features include reinforced heels and toes for durability and a cushion sole area providing extra comfort and warmth.

81:2010

Determination Of Whole Shoe Thermal Insulation Value And Cold Rating

A cold rating test to assess thermal performance. The item of footwear is tested on a heated artificial foot form and by monitoring the amount of energy required to maintain the foot temperature and the temperature of the foot and its surrounding environment, a range of minimum temperatures at which the footwear will feel comfortable according to the activity level of the wearer can be calculated. To test socks, a reference sample of footwear (FW11) is first tested with a reference sock and then with the sample sock (SK18) to assess the contribution made to the thermal performance of the footwear.

Table 1: TM436:2010 Cold Rating Test Results SK18

	FW11		Thermal Reference	SK18
	R val	ue	0.1909	0.2150
	!-	4 W loss	6.48	4.78
	coldest temperature with	8 W loss	-7.03	-10.45
		12 W loss	-20.55	-25.67





SK20 MODAFLAME SOCK

EN ISO 14116

EN 1149 -5

· Retail tag which aids presentation for retail

48% Modacrylic, 32% Cotton, 20%

Polyester Black 39-43,44-48





SK21 ESD WORK SOCK

EN 1149 -5



Reinforced heel and toe area providing optimum comfort

Reinforced with conductive yarn

25% 44% Polyester, 28% Polyamide, 25% Cotton, 1% Carbon, 2% Elastane

Black 39-43,44-48





SK26 CUT RESISTANT SOCK

- Constructed from steel fibres and cut resistant materials
 - Reinforced heel and toe area with flat seam for comfortable fit and wear
 - Reinforced seams for extra durability and strenath

32% Polyamide-Nylon, 27% Cotton, 22% Polyethylene, 12% Lyocell, 5% Polyamide, 2% Elastane Black 39-43,44-48





SK34 WINTER MERINO SOCK

Finished in merino wool

Reinforced heel and toe area for added durability

Soft grip cuff

65% Wool, 35% Nylon |||||||||**X** Black 39-43,44-48





SK18 EXTREME COLD **WEATHER SOCK**

SATRA TM 436



Antimicrobial and anti-odour properties

Excellent moisture wicking properties

🗯 40% Wool, 40% Acrylic, 20% Nylon Black 39-43,44-48 Navy 39-43,44-48





SK23 PERFORMANCE **WATERPROOF SOCKS**

100% waterproof sock

Lightweight and comfortable

· Reinforced seams for extra durability and

100% Cotton & 100 Nylon Lining Black 39-43,44-48

SOCKS

EXCEPTIONAL CARE FOR YOUR FEET





SK24 BAMB00 HIKER SOCK

- Naturally anti-bacterial sock
- Natural deodorising properties keep feet odour free
- Excellent moisture wicking properties

43% Bamboo, 35% Polypropylene, 20% Polyamide-Nylon, 2% Elastane Black 39-43, 44-48





SK27 LIGHTWEIGHT HI-VISIBILITY SOCK

- Highly visibility in both night and day
- Reinforced heel and toe area for added durability
- Excellent moisture wicking properties
- · Soft and comfortable

70% Polyester, 30% Nylon Yellow 39-43, 44-48





SK11 THERMAL SOCK



55% Cotton, 15% Nylon, 15% Wool,

15% Acrylic

Blue 39-43, 44-48 Grey 39-43, 44-48





SK13 CLASSIC COTTON SOCK

· Ribbed leg pattern

80% Cotton, 2070 Ny Black 39-43, 44-48 80% Cotton, 20% Nylon



SK33 WORK SOCK 3 **PACK**

Ribbed leg pattern

79% Acrylic, 15% Nylon, 6% Polyester
Black 39-43 - 44-48
Grey 39-43, 44-48





SK10 COMBAT SOCK

- Ribbed leg pattern

20% Wool, 40% Acrylic, 20% Nylon

Black 39-43 - 44-48





SK12 HIKER SOCK

Retail tag which aids presentation for retail sales

New colour

50% Cotton, 30% Polyester, 20% Nylon
Black 39-43 - 44-48

FOOTBEDS


CUSHION COMFORT ALL DAY LONG





FC90 GEL CUSHIONING INSOLE







Shock Absorbing

- · Gel cushioning in high impact areas
- Available in 3 standard sizes that can be trimmed to fit your ideal shoe size
- · Energy Absorbing Seat Region

Polymer Gel
Grey S-L








FC81 ULTIMATE COMFORT INSOLE



- · Perforated forepart
- Gel cushioning in high impact areas



Retail bag which aids presentation for retail sales

EVA, Polyester, Gel, Latex
Blue S-L







FC82 GEL CUSHION & ARCH SUPPORT INSOLE



Arch support helps support the foot and provides maximum comfort



- Perforated forepart
- Gel cushioning in high impact areas
- · Energy Absorbing Seat Region
- Retail bag which aids presentation for retail sales

Polyurethane, Nylon, Gel, TPU,
Polyester
Black/Green S-L





FC86 ACTIFRESH INSOLE



- 3mm thickness
- Anti-bacterial treated, perforated insole to help keep your feet fresh and clean
- Foam cushioned for added comfort
- Trim to size for the perfect fit
- Retail bag which aids presentation for retail sales

Cotton, Latex
White One Size

FOOTWEAR ACCESSORIES





FC89 THERMAL FLEECE **INSOLE**



- 3.5mm thickness
- · Fleece layer to keep feet warm
- · Soft latex layer for maximum cushioning
- · Trim to size for the perfect fit
- Retail bag which aids presentation for retail sales

Fleece, Latex
Black One Size








FC88 THERMAL ALUMINIUM **INSOLE**



- · 5mm thickness
- · Special aluminium layer retains heat and repels cold
- · Wool/polyester layer for added warmth and comfort
- · Trim to size for the perfect fit
- \cdot Retail bag which aids presentation for retail sales

Fleece, Latex
Grey One Size







FC87 MEMORY FOAM INSOLE



- 10mm thickness
 - Ergonomically designed insole moulds to the individual's foot shape
 - Provides all day comfort and support
 - Trim to size for the perfect fit
 - Retail bag which aids presentation for retail

Memory Foam
White One Size







FL02 STEELITE 150CM **BOOTLACE**



Retail bag which aids presentation for retail

300D Polyester
Black One Size







- Retail bag which aids presentation for retail sales

Rubber
Black L,XL



STABILITY AND SAFETY IN TREACHEROUS CONDITIONS